

Tlačený záznam - PROTOKOL

MS DV GPK: **019E/36/3**

253102 - SMSÚ ŽTS TO Vrútky

Dátum: **02.09.2026**

Postavenie: **Kab2**

Štart v KM: **316,699**

Režim: **V prevádzke**

Strana č. **1/16**

Vrútky

316,180 - 317,400

Stavebná dĺžka: **1 276 m**

Σ AHM

TÚ, DÚ, koľaj č.

km: 316		RP 1		Hodnotená dĺžka: 519 m						0 m	2601 57 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
659			01-3								
647			01+3								
644	01-2										
423	01+2		01-2								
422	02+3		01-2								
419	01+2										
415			01-3								
414	01+2		01-2								
413	02+3										
411	01+2		01+3	02/3	02/3						
410			01-3								
397			01+3								
396			01-2								
382			02-3	02/3	03/3						
379	01+2										
378				02/3	02/3						
377			01+3								
376				01/3	02/3						
361				02/3	02/3						
358			01+3	01/3	01/3						
357			01-3								
354			01+3								
351	01-2										
345			01-3								
339											Výhybka 33 m
319				01/3							
318			01+3								
317				01/3	01/3						
315				03/3	03/3						
309				01/3	01/3						
302				04/3	04/3						
300											Výhybka 34 m
298				02/3	02/3						
296			02+3								
295	01-3										
294			01-3	02/3	02/3						
293	05+3										
292					01/3						
291			01+3								
290				01/3	01/3						
288			02+3								
287				01/3	01/3						
280				02/3					02/2		
279			01-3								

Min. dĺžka chyby: **500 mm**

Analýzy údajov s DB: **Áno**


Analýza výhybiek: **Zahrnuté**

ID: 260902_080426

Analýza údajov priemerom: **Nie**

Detekcia výhybiek (bez DB): **Nie**

km: 316		RP 1		Hodnotená dĺžka: 519 m						0 m	2601 57 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
278					01/2						
275				02/3							
274	02+2										
272			01+3	02/3	02/3						
271	01-3		01-3								
270				02/3	01/3						
263				01/2	01/3						
260			01-3								
259	02+2				03/3						
258				01/3							
256			01+2								
253											Výhybka 33 m
251				02/3	02/3						
248				02/3	02/3						
245					01/2						
243							01/2				
242			01+2								
241			01+3	03/3	03/3						
240			01-3								
237				03/3	02/3						
233				02/3	02/3		01/2				
231				03/3	03/3						
229			01-3								
227				01/2							
226					01/2						
224			02-3								
219				01/3							
214				01/3	01/2						
214											Výhybka 34 m
210			01+3	02/3	03/3						
209	01-3		01-3								
208				01/3	02/3						
206	03+2										
202			01+3								
198			01-3								
193			01-3								
192	01+2										
190					01/3						
186				02/3	02/3						
184				02/3	02/3						
181				01/3							
180					01/3						
(AL) Σ	25/20	00/0	00/0	06/4	05/4	06/6	02/3	00/0	04/3	06/3	4




Vrútky nákladná stanica - Vrútky

315,552 - 315,800

Stavebná dĺžka: **629 m** Σ AHM TÚ, DÚ, koľaj č.

km: 316		RP 1					Hodnotená dĺžka: 180 m				0 m	2601 56 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
169				02/3								
168					02/3							
165					02/3							
164			01+3	02/3								
163			01-3									
162				01/3	01/3							
145	01-2											
144	01-3											
143	01-2											
142	01-2											
139	02-2											
(AL) Σ	05/4	00/0	00/0	01/1	00/0	00/0	00/0	00/0	00/0	01/1	0	



km: 315		RP 1					Hodnotená dĺžka: 446 m				-1 m	2601 56 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
637	01+2											
616	02+2											
598	01+2											
562	06+2											
554	01+2											
(AL) Σ	59/21	00/0	00/0	00/0	00/0	00/0	03/1	00/0	00/0	00/0	0	

(IAL)	Úsekové hodnotenie	RK	SK	PK	VK	ZK3	ZK6	ZK12	CK
	Počet	000	000	000	000	000	000	000	
	SDO	1,46	1,72	1,33	1,57	2,37	3,65	5,88	2,76

Vrútky nákladná stanica

313,105 - 314,600

Stavebná dĺžka: **2 448 m**

Σ AHM

TÚ, DÚ, koľaj č.

km: 315		RP 3				Hodnotená dĺžka: 553 m				0 m	2601 51 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
552	01+2										
552	05+3										
547	02+2										
520											Priec.-Prejazd 3 m
506											Výhybka 34 m
496	02-2										
484			01-3								
483			01-2								
460					01/2						
460											Výhybka 33 m
458					01/2						
457			01-3								
452				01/3							
450				01/2	01/3						
426				01/2							
421											Výhybka 34 m
413					01/2						
409				02/3	02/3						
407					01/2						
404				03/3	02/3						
400				02/3	03/3						
399			02-3								
397			01+2								
396				04/3	04/3						
392				03/3	03/3						
391			01+3								
390			01-3								
389				02/3	02/3						
387				03/3	03/3						
384			01+2								
382				03/3	03/3						
378				01/3	02/3						
374				02/3	02/3						
372				01/2							
370				02/3	03/3						
367				01/3	02/3					01/3	
365				01/3	01/2						
220	01-2										
006	01-3										
(AL) Σ	23/18	00/0	00/0	02/2	03/4	03/2	03/4	00/0	17/10	11/6	4

Tlačený záznam - PROTOKOL

MS DV GPK: 019E/36/3

253102 - SMSÚ ŽTS TO Vrútky

Dátum: 02.09.2026

Postavenie: Kab2

Štart v KM: 316,699

Režim: V prevádzke

Strana č. 5/16

km: 314	RP 3					Hodnotená dĺžka: 999 m					-1 m	2601 51 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
752	01-2											
751	01-3											
750	01-2											
509	01+2											
504											Výhybka 33 m	
484		01-2										
474					02/2							
470					02/3							
468				01/2								
466				02/3	02/3							
464		01+3										
463		01+2	02/3	02/3								
460					02/2							
455					02/2							
438									01/2			
437						01/2						
435									01/2			
434		01+3										
413									01/2			
412	01-3											
409		01-3										
301											Výhybka 33 m	
267											Výhybka 33 m	
234											Výhybka 34 m	
(AL) Σ	33/25	00/0	00/0	01/2	00/0	01/1	00/0	00/0	04/3	05/3	4	

	1000	800	600	400	200	0
SK						

Min. dĺžka chyby: 500 mm

Analýza údajov s DB: Áno

Analýza výhybiek: Zahnuté

ID: 260902_080426

Analýza údajov priemerom: Nie

Detekcia výhybiek (bez DB): Nie

km: 313		RP 3		Hodnotená dĺžka: 896 m						0 m	2601 51 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
244											Výhybka 33 m
225			01+2								
222			01-2								
216			01+3								
215			01-3								
210											Výhybka 33 m
201			01-3								
189			01-3								
187			01+2								
181			01+3								
179			01-3								
177											Výhybka 34 m
158			01-3								
154			01+2								
150			01+2								
140			01-3								
136			01+2								
125			01-3								
123			01-2								
122			01+3								
(AL) Σ	21/10	00/0	00/0	00/0	00/0	00/0	00/0	00/0	02/2	02/2	3
1000 800 600 400 200 0											
SK									□ □ □ □ □ □ □		
RK									▣ □ □ □ □ □ □		
PK									□ □ □ □ □ □ □		
VK						■ □	□		□ □ □ □ □ □		
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK		ZK3	ZK6	ZK12	CK
	Počet		000	000	000	000		000	000	000	
	SDO		1,58	1,21	1,41	1,90		2,12	2,87	3,67	2,75

Turany - Vrútky nákladná stanica
308,884 - 308,900

Stavebná dĺžka: **4 225 m**
Σ AHM
TÚ, DÚ, koľaj č.

km: 313		RP 3		Hodnotená dĺžka: 104 m						-2 m	2601 48 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
072	03-2										
034	01-2										
032	02-2										
008	01-2										
007	01-3										
006	01-2										
(AL) Σ	53/15	69/1	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	0

Tlačený záznam - PROTOKOL
253102 - SMSÚ ŽTS TO Vrútky

MS DV GPK: **019E/36/3**

Dátum: **02.09.2026**

Postavenie: **Kab2**

Štart v KM: **316,699**

Režim: **V prevádzke**

Strana č. **8/16**

SDO 1,02 0,87 1,32 1,56 2,19 3,31 5,14 2,27

km: 310		RP 3		Hodnotená dĺžka: 1 001 m							0 m	2601 48 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
948											Most 8 m	
(AL) Σ	42/21	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	1	
10008006004002000												
SK												
RK												
PK												
VK												
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK		ZK3	ZK6	ZK12	CK	
	Počet		000	000	000	000		000	000	000		
	SDO		1,07	0,79	0,83	0,78		1,48	2,23	3,57	1,47	

km: 309		RP 3		Hodnotená dĺžka: 1 000 m							0 m	2601 48 1	
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)		
598											Most 12 m		
396											Most 174 m		
396											Most 174 m		
376			01+3										
190	03-3		01+3										
(AL) Σ	39/20	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	3		
10008006004002000													
SK		□□	□□□□	▨□	□□□	▨□□□□□	□□	□▨	□▨□□	□	□▨	□□□	□
RK					□			□		▨			□
PK				□		□						▨	
VK					▨□	□▨▨□		▨□		▨□□▨	▨▨		□
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK		ZK3	ZK6	ZK12		CK	
	Počet		001	000	000	000		000	000	000			
	SDO		1,29	1,67	1,47	2,15		2,34	3,37	4,92		3,14	

km: 308		RP 3				Hodnotená dĺžka: 114 m				-2 m	2601 48 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
(AL) Σ	20/6	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	0
10008006004002000											
SK											
RK											
PK											
VK											
(IAL)	Úsekové hodnotenie	RK	SK	PK	VK	ZK3	ZK6	ZK12	CK		
	Počet	000	000	000	000	000	000	000			
	SDO	1,07	0,97	0,84	0,76	1,34	1,69	2,23	1,56		

Turany

ID: 260902_080426

Min. dĺžka chyby: **500 mm**

Analýza údajov s DB: **Áno**

Analýza údajov priemerom: **Nie**

Analýza výhybiek: **Zahrnuté**

Detekcia výhybiek (bez DB): **Nie**

307,612 - 308,885

Stavebná dĺžka: **1 272 m**


Σ AHM

TÚ, DÚ, koľaj č.

km: 308	RP 3					Hodnotená dĺžka: 885 m					0 m	2601 47 1
---------	------	--	--	--	--	------------------------	--	--	--	--	-----	-----------

m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
842											Výhybka 33 m	
815				01/2	01/2							
814					01/3							
813				01/2								
811				02/3	02/3							
809				01/2						01/2		
809											Výhybka 34 m	
808									01/3			
807					01/2							
804					01/2							
789			01-2									
782	01+2											
781			01+3									
730											Priec.-Prejazd 7 m	
720											Výhybka 34 m	
704					02/2							
700					01/2							
699					01/3							
698					01/2							
695				02/3	02/2							
691				03/3	02/3							
689			01-3									
688					04/3							
687				04/3								
683				03/3	03/3							
682			01+3									
681			01-3									
680				02/3	02/3							
678				03/3	03/3							
674				03/3								
673					03/3							
668				01/2	01/2							
665					01/3							
664				01/3								
662				02/3	02/3							
659				01/3	01/3							
657			01-3									
654					01/2							

(AL) Σ	88/30	00/0	00/0	00/0	00/0	01/2	01/1	00/0	08/6	08/6	4	
--------	-------	------	------	------	------	------	------	------	------	------	---	--



(IAL)	Úsekové hodnotenie	RK	SK	PK	VK	ZK3	ZK6	ZK12	CK
-------	--------------------	----	----	----	----	-----	-----	------	----

Počet	000	012	000	000	000	000	000	000	
SDO	1,53	9,55	1,64	2,68		2,39	3,26	4,10	10,08

km: 307		RP 3				Hodnotená dĺžka: 388 m				0 m	2601 47 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
829											Výhybka 33 m
802					01/2						
799				03/3	03/3						
796					02/3						
795			01+3	01/3							
793					01/2						
792				01/2	01/3						
792					01/2						
787					01/2						
772											Priec.-Prejazd 3 m
768			01+3								
765											Výhybka 34 m
730			01+3								
727			01-3								
708				02/2							
705				02/3	02/3						
702				02/3	01/3						
646											Výhybka 33 m
(AL) Σ	43/20	00/0	00/0	00/0	01/1	01/1	00/0	00/0	01/1	02/2	4
1000 800 600 400 200 0											
SK											
RK											
PK											
VK											
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3	ZK6	ZK12	CK	
	Počet		000	004	000	000	000	000	000		
	SDO		1,65	4,31	1,89	2,25	2,89	3,73	4,39	5,27	

Kraľovany - Turany

299,199 - 299,300

Stavebná dĺžka: 8 414 m

Σ AHM

TÚ, DÚ, koľaj č.

km: 307		RP 3		Hodnotená dĺžka: 613 m					0 m		2601 46 1	
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
609			01+3									
583			01+3									
(AL) Σ	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	03/1	00/0	0	

1000

800

600

400

200

0

SK

RK

PK

VK

(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3	ZK6	ZK12	CK	
	Počet		000	000	000	000	000	000	000		

Min. dĺžka chyby: 500 mm

Analýzy údajov s DB: **Áno**

Analýza údajov priemerom: **Nie**

Analýza výhybiek: **Zahrnuté**

Detekcia výhybiek (bez DB): **Nie**

ID: 260902 080426

Tlačený záznam - PROTOKOL
253102 - SMSÚ ŽTS TO Vrútky

MS DV GPK: **019E/36/3**

Postavenie: **Kab2**

Štart v KM: **316,699**

Režim: **V prevádzke**

Dátum: **02.09.2026**

Strana č. **11/16**

SDO 0,93 0,95 0,96 1,49 1,41 1,79 2,02 2,05

km: 306		RP 3			Hodnotená dĺžka: 1 001 m						0 m	2601 46 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
(AL) Σ	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	0	
1000		800			600		400		200		0	
SK											□	
RK											□	
PK												
VK												
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3		ZK6	ZK12	CK	
	Počet		000	000	000	000	000		000	000		
	SDO		0,81	0,81	0,89	1,16	1,31		1,63	1,84	1,71	

km: 305		RP 3		Hodnotená dĺžka: 1 000 m							0 m	2601 46 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
561											Most 64 m	
561											Most 64 m	
462			01-3									
461			01+3									
(AL) Σ	06/3	00/0	00/0	00/0	00/0	00/0	00/0	00/0	02/1	00/0	2	
10008006004002000												
SK				□			□	□			□	
RK							▬				□	
PK					□						□	
VK			□	□□	□▬□	□	▬	▬	▬▬	□		
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK		ZK3	ZK6	ZK12	CK	
	Počet		000	000	000	000		000	000	000		
	SDO		0,97	0,92	1,21	2,01		1,80	2,27	2,38	2,55	

km: 304		RP 3		Hodnotená dĺžka: 1 001 m							0 m	2601 46 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
143												Most 18 m
(AL) Σ	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	01/1	04/2	1	
10008006004002000												
SK		□						□□■				□
RK												
PK									□		□	
VK							□	■□			□□■□■	
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK		ZK3	ZK6	ZK12	CK	
	Počet		000	000	000	000		000	000	000		
	SDO		0,81	0,96	1,21	2,05		2,04	3,00	4,68	2,59	

[illegible]

Tlačený záznam - PROTOKOL

MS DV GPK: 019E/36/3

253102 - SMSÚ ŽTS TO Vrútky

Dátum: 02.09.2026

Postavenie: Kab2

Štart v KM: 316,699

Režim: V prevádzke

Strana č. 13/16

km: 300	RP 3					Hodnotená dĺžka: 1 012 m					2 m	2601 46 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
(AL) Σ	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	2	
	1000		800		600		400		200		0	
SK												
RK												
PK												
VK												
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3	ZK6	ZK12	CK		
	Počet		000	000	000	000	000	000	000			
	SDO		1,23	1,18	0,91	1,24	2,09	3,50	6,47	2,01		

km: 299	RP 3					Hodnotená dĺžka: 526 m					0 m	2601 46 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
970											Priec.-Prejazd 3 m	
704											Most 10 m	
(AL) Σ	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	01/1	00/0	2	
	1000		800		600		400		200		0	
SK												
RK												
PK												
VK												
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3	ZK6	ZK12	CK		
	Počet		000	000	000	000	000	000	000			
	SDO		1,07	1,59	1,51	1,99	2,32	3,01	3,49	3,00		

km: 299	RP 3					Hodnotená dĺžka: 273 m					-1 m	2601 46 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
212											Priec.-Prejazd 4 m	
200					01/2							
(AL) Σ	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	00/0	1	
	1000		800		600		400		200		0	
SK												
RK												
PK												
VK												
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3	ZK6	ZK12	CK		
	Počet		000	000	000	000	000	000	000			
	SDO		0,89	1,56	0,78	1,43	1,78	3,06	5,67	2,29		

Kraľovany

299,200 - 2426,144

Stavebná dĺžka: 1 235 m

Σ AHM

TÚ, DÚ, koľaj č.

km: 299	RP 3					Hodnotená dĺžka: 200 m					0 m	2601 45 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
199											Výhybka 34 m	
192				03/3	03/3							

Min. dĺžka chyby: 500 mm

Analýzy údajov s DB: Áno

Analýza výhybiek: Zahnuté

Analýza údajov priemerom: Nie

Detekcia výhybiek (bez DB): Nie

ID: 260902_080426

km: 299		RP 3		Hodnotená dĺžka: 200 m							0 m	2601 45 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)	
187			01-3	03/3	03/3							
183				03/3	03/3							
179				03/3	03/3							
178			01+3									
177			01-3									
176				02/3	02/3							
174				03/3	03/3							
170				03/3	03/3							
165				01/2								
160			01+3									
159				02/3	03/3							
158			01-3									
156				01/3	01/3							
154				04/3	04/3							
149				05/3	04/3							
142				02/3	03/3							
140			01-3									
139	01+2		01+3									
115				03/3								
114			01-3		03/3							
113	02+2											
110	01+2		01+3									
109					01/2				01/2			
108					01/3							
107					01/2							
101					03/2							
094				01/2								
090				01/2								
087					02/3							
086				02/3								
084			01+3									
082			01-3	02/3	02/3							
081												Výhybka 33 m
080			01+3	03/3						01/2		
079					03/3							
074				01/3	02/3							
070				03/3	04/3							
068	02+2		01-3									
066				03/3	03/3							
065			01+3									
064			01-3									
063				02/3	02/3							
060				03/3	03/3							
056				03/3	03/3							
051				03/3	02/3							
047			01+2									

Tlačený záznam - PROTOKOL
253102 - SMSÚ ŽTS TO Vrútky

MS DV GPK: **019E/36/3**

Dátum: **02.09.2026**

Postavenie: **Kab2**

Štart v KM: **316,699**

Režim: **V prevádzke**

Strana č. **15/16**

km: 299		RP 3				Hodnotená dĺžka: 200 m				0 m	2601 45 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
044				01/2	04/3						
043				02/3							
042											Výhybka 34 m
041				01/2							
037				02/2	02/2						
029					02/2						
(AL) Σ	28/14	00/0	00/0	00/0	02/3	00/0	01/1	00/0	03/4	00/0	3
10008006004002000 SK RK PK VK											
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK	ZK3	ZK6	ZK12	CK	
	Počet		000	024	000	000	000	000	000		
	SDO		3,19	28,29	2,67	3,17	4,07	5,61	7,24	28,63	

km: 298		RP 3				Hodnotená dĺžka: 421 m				0 m	2601 45 1
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)
987			01+3								
986	01-3		01-3								
961			01-2								
957				07/2	01/2						
955			01-2								
934				02/2	02/2						
914			01-2								
827				03/3							
826					03/3						
821				03/3	03/3						
819			01-3								
817				03/3	03/3						
813				03/3	03/3						
812			01+3								
811			01-3	02/3	02/3						
808				03/3	03/3						
804			01+3								
803				03/3	02/3						
799				04/3	03/3						
794			01+3	01/3							
792			01-3	02/3	01/2						
791					01/3						
787			01+2								
786				02/3							
785					02/2						
784				01/2							
777			01-3								
775					01/3						

Min. dĺžka chyby: **500 mm**

Analýzy údajov s DB: **Áno**

Analýza výhybiek: **Zahrnuté**

ID: 260902_080426

Analýza údajov priemerom: **Nie**

Detekcia výhybiek (bez DB): **Nie**

km: 298		RP 3					Hodnotená dĺžka: 421 m				0 m	2601 45 1	
m	RK	RK100	ZR	SL	SP	ZK3	ZK6	ZK12	VL	VP	Objekt (Dĺžka)		
772			01+2										
751	01-3		01+3										
750			01-3										
(AL) Σ	03/2	00/0	00/0	01/1	05/5	00/0	00/0	00/0	03/2	03/1	0		
10008006004002000 SK RK PK VK													
(IAL)	Úsekové hodnotenie		RK	SK	PK	VK		ZK3	ZK6	ZK12	CK		
	Počet		002	009	000	000		000	000	000			
	SDO		2,66	13,94	1,86	3,15		2,61	3,52	4,19	14,46		

Zodpovedný: mm

Dátum tlače: 2. 9. 2026

Operátor: MM