



list č.: 1


Vytlačené: 08.09.2026, 10:40:35


























260908_073855

Úsek: 3201 33 1 Barca stav.1

SMSÚ: -

Dátum: 08.09.2026

List č.: 11

km: 94,559 – 94,555


Režim: V prevádzke


Vytlačené: 08.09.2026, 10:40:39


This technical drawing illustrates a road cross-section with the following components and dimensions:


- Rýchlost' M1:5**: Roadway width of 5 meters.
- RK M1:1**: Roadway width of 1 meter.
- SL M1:2**: Roadway width of 2 meters.
- SP M1:2**: Roadway width of 2 meters.
- PK D1, PK M1:8, M1:8**: Roadway width of 8 meters.
- ZK 3 M1:1**: Roadway width of 1 meter.
- ZK 6 M1:1**: Roadway width of 1 meter.
- ZK 12 M1:1**: Roadway width of 1 meter.
- VL D1 M1:1**: Roadway width of 1 meter.
- VP D1 M1:1**: Roadway width of 1 meter.
- Obj.**: Object or structure.


The drawing shows a series of vertical lines representing the boundaries of these sections. The road surface is indicated by a dashed line. The overall width of the road is 5 meters.



































































































































This figure is a technical drawing, likely a geological cross-section or a series of stratigraphic profiles. It consists of eleven vertical columns, each representing a different location or measurement point. The columns are labeled at the top as follows:


- Rýchlost M1:5
- RK M1:1
- SL M1:2
- SP M1:2
- PK D1, PK M1:8, M1:8
- ZK 3 M1:1
- ZK 6 M1:1
- ZK 12 M1:1
- VL D1 M1:1
- VP D1 M1:1
- Obj.


Each column contains a vertical profile. The profiles are drawn with various line styles (solid, dashed, dotted) and colors (black, red, blue, green, purple, orange). Some profiles show distinct layers or features, while others are more uniform. The profiles are connected by horizontal lines at the top and bottom, indicating a common reference level. The overall layout is clean and professional, typical of a technical drawing.
































[illegible]

